

PRINTER RUSH

(PTO ASSISTANCE)

Application : 10/549,729 Examiner : Kershteyn GAU : 3745
From : sg Location : IDC FMF FDC Date : 2/11/08

Tracking #: epm 10/549,729 Week 1/28/2008
Date:

DOC CODE	DOC DATE	MISCELLANEOUS
<input type="checkbox"/> 1449		<input type="checkbox"/> Continuing Data
<input type="checkbox"/> IDS		<input type="checkbox"/> Foreign Priority
<input type="checkbox"/> CLM		<input type="checkbox"/> Document Legibility
<input type="checkbox"/> IIFW/FWCLM		<input type="checkbox"/> Fees
<input type="checkbox"/> SRFW		<input checked="" type="checkbox"/> Other <u>1-31-2008</u>
<input type="checkbox"/> DRW		
<input checked="" type="checkbox"/> OATH	<u>1-31-2008</u>	
<input type="checkbox"/> 312		
<input type="checkbox"/> SPEC		

[RUSH] MESSAGE: The number of the inventors on the palm/bib data sheet does not match the number of the inventors on the oath, please advise.

Thank you
sg

[XRUSH] RESPONSE: ☐ fixed

INITIALS: ☐ IK

EXAMINER: PUBS contacts -- for DESIGNS: Don Fairchild, 703-308-9250 x126; for ALL OTHER FILES: Bernadette Queen, 703-308-9250 x121

NOTE: This form will be included as part of the official USPTO record, with the Response document coded as XRUSH.